


10/519723

1/18

FIG. 1A



10/519723




FIG. 1B

10/519723

3/18






FIG. 1C

10/519723

4/18



10/519723

5/18

FIG. 2C






FIG. 2D






10/519723

6/18



10/519723 7/18


10/519723



10/519723

8/18


FIG. 5A



10/519723

9/18


FIG. 5B



10/519723

10/18


FIG. 5C



10/519723

11/18


FIG. 5D



10/519723

12/18

FIG. 6



10/15/1972

13/18


FIG. 7

SUBJECT STATUS	TWO MEAL PROCEDURE				TWO TEST PROCEDURE			
	FIRST (MIN)	SECOND (MIN)	FIRST (%)	SECOND (%)	FIRST (MIN)	SECOND (MIN)	FIRST (%)	SECOND (%)
ASYMPTOMATIC	107.2	97.2	9.35	69.2	52.6	234	100.8	91.4
SYMPTOMATIC	154.1	99.5	35.4	95.1	56.4	40.7	155.5	99.3
SYMPTOMATIC	173.9	111.8	35.7	90.1	52.2	42.0	204.8	120.6
SYMPTOMATIC	128.3	91.4	28.8	68.4	45.8	33.8		
ASYMPTOMATIC	89.3	92.3	-3.3	55.1	41.6	24.5		
ASYMPTOMATIC	102.2	113.6	-11.1	65.8	57.2	13.1		




10/519723

14/18

FIG. 8



10/519723



10/519723

16/18

FIG. 10A





FIG. 10B




10/519723

17/18


DOSE

FIG. 11




DOSE

FIG. 12



DOSE

FIG. 13



10/519723

18/18

